ANKYLOSING SPONDYLITIS REFERRAL FORM (A-R)

PHONE 888.370.1724 | **FAX** 877.645.7514



Remove above portion before faxing. Please complete the prescription form in its entirety and fax with secure cover sheet to the number above.

PATIENT INFORMAT	TION															
Last Name	First Name					Gender □ M □ F			Last 4 SSN			Pri	Primary Language			
Address					City	ty			State			e ZIP				
Email	Home Phone				Work Phone						Cell Phone					
Primary Contact Method	(check one) 🗆 Ce	II Phone ☐ Home	Phone \square	Work Phone	е 🗆 Те	ext [□ Email	□ Pri	imary Careg	jiver	□ DO	пот со	NTACT			
Primary Caregiver/Alt Cor	ntact Name (If appli	cable)		Alt Conta	ct Emai	il						Alt	t Conta	ct Pho	ne	
PRESCRIBER INFOR	RMATION															
Name of Contact Sending	Referral		Tit	le				Prefe	erred Conta	ct Meth	od (che	eck one)) 🗆 Eı	mail	☐ Phone	□ Fax
Referral Contact Email					Office Phone Office F							Fax				
Practice / Facility Name					Prescriber Name / Specialty											
Address					(City State										
Prescriber State License # DEA #					1	NPI # Medicaid UPIN #							#			
		* Please inclu	ıde a co	py of th	e froi	nt an	d back	of	insuranc	ce cai	rd *					
CLINICAL INFORMA	ATION - Please	include applica	ble clinic	al chart r	notes											
Patient New to Therapy	□ Naïve/New Start	☐ Therapy Restart	☐ Existing	Treatment												
Date of Diagnosis	Years with Disease	e		F	Prior Th	nerapy 🗆	No	☐ Yes (ple	ase list)						
Sample/Starter Provided?	de Qty: Da	ate Provided	l:	F	Patient Height (cm/in): Weight (kg/lbs): Date O									ained:		
If self-injectable drug, is i	njection training co	ordination required b	y our pharn	nacy? 🗆 Ye	s 🗆 No)										
Other/Concomitant Medic		· · · · · · · · · · · · · · · · · · ·														
	Orug Allergies (plea	se list)			I	Othe	r Allergies									
Ship to Address Home			ase list)			☐ Other Allergies (please list)										
		spondylitis of multip		ino				5 5 Ar	akulosina sn	ondylit	is of th	oracolui	mbar ro	aion		
		o-atlanto-ax al region othoracic reg	atlanto-axial region □ M45.6 Ankylosing spondylitis of lumbar re- region □ M45.7 Ankylosing spondylitis of lumbosaci horacic region □ M45.8 Ankylosing spondylitis sacral and sa							gion ral regio acrococ	on cygeal					
				by state	law			3.3 AI	ikylosiiig sp	Jonayne	13 OI UI	зрестте	su sites	шэрш		
PRESCRIPTION INF In order for a brand na						Brand	Necessar	ry" oi	r "Brand M	1edicali	ly Nec	essary,'				
or your state-specific re	equired language	to prohibit substi	itutions. Th	is form is	not a v	⁄alid p	rescriptic	on fo	rm for writ	ting co	ntrolle	ed med	licatior	าร.		
MEDICATION	DOSE		DIRECTION	ONS											QTY	REFILLS
□ Bimzelx	□ 160mg/ml Autoinjector □ 160mg SC once every 4 v □ 160mg/ml Syringe					eeks										
□ Cimzia (certolizumab pegol)	☐ Starter Kit ☐ 200mg Prefilled ☐ 200mg Lypholl		Starter Dose: ☐ Inject 400mg SubQ once at weeks 0, 2 and 4										6	0		
			Maintenance Dose: ☐ Inject 200mg SubQ once every 2 weeks ☐ Inject 400mg SubQ once every 4 weeks										4-week supply			
☐ Cosentyx (secukinumab)	☐ 150mg/mL Pref ☐ 150mg/mL Pen	Loading Dose: ☐ Inject 150mg SubQ once at weeks 0, 1, 2, 3 and 4											10			
	□ 150 mg/mL Ser	☐ Inject 1	Maintenance Dose: □ Inject 150 mg SubQ once every 4 weeks □ Inject 700 mg (2)150 mg injections) SubQ once every 4 weeks											28 days		
				☐ Inject 300 mg (2x150 mg injections) SubQ once every 4 weeks												
☐ Enbrel (etanercept)	□ 25mg/0.5mL Prefilled Syringe □ 25mg/0.5mL Single Dose Vial □ 50mg/mL Sureclick Autoinjector □ 50mg/mL Prefilled Syringe □ Mini 50mg/mL Cartridge														4-week supply	
☐ Humira CF (adalimumab)	□ 40mg/0.4mL Prefilled Syringe □ Inject 40mg SubQ every □ 40mg/0.4mL Pen						other week								4-week supply	
☐ Remicade (infliximab)	□ 100mg vial		Loading Dose: ☐ Infuse 5mg/kg IV at weeks 0, 2, and 6												QS	0
		Maintenance Dose: ☐ Infuse 5mg/kg IV every six weeks											6 weeks			
Prescriber Signature			Date						Signature (v		equirec	l by stat	te law)	D	ate	
DAW (Dispense as Written)			Date			Brand Necessary (must handwrite)										

Note: The information contained in this document will become a legal prescription. Prescriber is to comply with his/her state specific Pharmacy and Medical Board guidelines such as e-prescribing, state specific prescription form, fax language, number of prescriptions allowed on a single prescription form, etc. If more than one page is required, make additional copies. Non-compliance with state specific requirements could result in outreach to the prescriber.

ANKYLOSING SPONDYLITIS REFERRAL FORM (S-Z)

PHONE 888.370.1724 | **FAX** 877.645.7514

PATIENT INFORMATION



Remove above portion before faxing. Please complete the prescription form in its entirety and fax with secure cover sheet to the number above.

Last Name	lame First Name			DO	ОВ	Gen	nder 🗆 M	□F	Last 4 SSN		Primary Language			
Address				City						State		ZIP		
Email				Work Pho	ne			Cell Pho	ne					
Primary Contact Method	Phone	☐ Work Phone	<u>□</u> T	ext	□ Email									
Primary Caregiver/Alt Con		Alt Conta	ct Ema	il					Alt Contact	Phone				
PRESCRIBER INFOR	MATION													
Name of Contact Sending	Title				Prefe	erred Contact Met	hod (check o	ne) 🗆 Ema	ail 🗆 Phone	□ Fax				
Referral Contact Email				Of	ffice Phone									
Practice / Facility Name							Pro	escriber Na	me / S	Specialty	,			
Address						City			State	ate ZIP				
Prescriber State License #			1	NPI#										
* Please include a copy of the front and back of insurance card *														
CLINICAL INFORMATION - Please include applicable clinical chart notes														
Patient New to Therapy Naïve/New Start Therapy Restart Existing Treatment Therapy Start Date														
Date of Diagnosis	е		F	Prior 1	Therapy \square	No	☐ Yes (please lis	it)						
Sample/Starter Provided? No Yes, Provide Qty: Date Provided: Patient Height (cm/in): Weight (kg/lbs): Date Obt												Obtained:		
If self-injectable drug, is injection training coordination required by our pharmacy? Yes No														
Other/Concomitant Medic	ations (please	e list)												
Allergies NKDA Drug Allergies (please list) Other Allergies (please list)														
Ship to Address	☐ Prescrib	ber's Office	e □ Other (pl	ease list)									
ICD-10 Code											geal region			
PRESCRIPTION INFO In order for a brand nar or your state-specific re	ne product	to be disp	pensed, the p	rescrib	er must handw	vrite "E								
MEDICATION	DOSE			DIRE	CTIONS								QTY	REFILLS
□ Simponi (golimumab)	□ 50mg/0.5 □ 50mg/0.5			No Loading Dose Required: ☐ Inject 50mg SubQ once a month										
□ Simponi Aria (golimumab)			ling Dose: use 2 mg/kg IV a	at week	cs O a	nd 4	QS	0						
		Maintenance Dose: ☐ Infuse 2 mg/kg IV every 8 weeks								8 weeks				
□ Taltz (ixekizumab)	Syringe tor	Loading Dose: ☐ Inject 160 mg (2x80 mg injections) SubQ once on Day 1								2	0			
					Maintenance Dose: ☐ Inject 80mg SubQ once every 4 weeks									
□ Xeljanz	☐ 5mg table			ke one tablet by	supply 60									
☐ Xeljanz XR	☐ 11mg tablet ☐ Take one tablet by mo												30	
Prescriber Signature			Date			Supe	rvising Phys	Date						
DAW (Dispense as Written) Note: The information contained in this document will become a legal prescriptic			Date	er is to comply with			d Necessary	e specific prescrip	tion form. fax					